



CABLE TIES & MOUNTS

GUARANTEED RUGGED + POWERFUL®

Product Brochure

POWER **GRIP**®
CABLE TIES

Stock the Essentials



Trust **NSI** to be your FIRST-CHOICE partner for stock-n-flow electrical supplies that are reliable, ready-to-ship and delivered fast to keep your business running smoothly and profitably. With all the necessary supplies the electrical contractor carries in his truck every day, **NSI** is committed to providing the products and services that help your sales and profits.

NSI: More than a vendor. Your partner for success.



Professional
Quality



Fast
Delivery



Designed
to Sell




Customer
Service

Cable Management

GUARANTEED RUGGED + POWERFUL®

PowerGRP® offers a complete line of standard and special-use cable ties and mounts.



General
Purpose



UV
Stabilized




Impact
Resistant



Screw
Mount



Flag ID
Marker



Hook
& Loop




Steel
Barb




Push
Mount




Saddle
Mount



4-Way
Mount



Clip
Mount



Masonry
Push Mount




Cable
Clamp



General Purpose Cable Ties



SELF-LOCKING HEAD
grips tight and
secure



CURVED TIP
for faster
threading



STRONG TEETH
lock in place



**APPLICATION
ENVIRONMENTS**
Suitable for
general purpose,
light commercial,
contractor and
residential
applications



MATERIALS
Nylon 6.6 suitable
for plenum spaces
Natural color or UV
weather resistant
black suitable for
outdoor use



**OPERATING
TEMPERATURE**
- 40°C to 85°C

**COMPLIANCE
RATING**



Cable Tie Tensile Strengths

18lb

40lb

50lb

75lb

120lb

175lb

250lb





PART NUMBER	COLOR	TENSILE STRENGTH	LENGTH	WIDTH	PACK SIZE	BUNDLE DIAMETER	CABLE TIE TYPE	UPC NUMBER
LIGHT-DUTY								
GRP-418	Natural	18 LB F / 80N	4" (100mm)	0.1" (2.54mm)	100	0.06" - 0.87" (1.5mm - 22mm)	Type 21	662381009067
GRP-418X	Natural	18 LB F / 80N	4" (100mm)	0.1" (2.54mm)	1000	0.06" - 0.87" (1.5mm - 22mm)	Type 21	662381009678
GRP-4180	Black	18 LB F / 80N	4" (100mm)	0.1" (2.54mm)	100	0.06" - 0.87" (1.5mm - 22mm)	Type 21	662381009210
GRP-4180X	Black	18 LB F / 80N	4" (100mm)	0.1" (2.54mm)	1000	0.06" - 0.87" (1.5mm - 22mm)	Type 21	662381009661
GRP-518	Natural	18 LB F / 80N	5" (140mm)	0.1" (2.54mm)	100	0.06" - 1.3" (1.5mm - 33mm)	Type 21	662381009074
GRP-5180	Black	18 LB F / 80N	5" (140mm)	0.1" (2.54mm)	100	0.06" - 1.3" (1.5mm - 33mm)	Type 21	662381009227
GRP-5180X	Black	18 LB F / 80N	5" (140mm)	0.1" (2.54mm)	1000	0.06" - 1.3" (1.5mm - 33mm)	Type 21	662381009685
GRP-818	Natural	18 LB F / 80N	8" (200mm)	0.1" (2.54mm)	100	0.06" - 2.09" (1.5mm - 53mm)	Type 21	662381009111
GRP-818X	Natural	18 LB F / 80N	8" (200mm)	0.1" (2.54mm)	1000	0.06" - 2.09" (1.5mm - 53mm)	Type 21	662381009753
GRP-8180	Black	18 LB F / 80N	8" (200mm)	0.1" (2.54mm)	100	0.06" - 2.09" (1.5mm - 53mm)	Type 21	662381009272
GRP-8180X	Black	18 LB F / 80N	8" (200mm)	0.1" (2.54mm)	1000	0.06" - 2.09" (1.5mm - 53mm)	Type 21	662381009746
INTERMEDIATE								
GRP-540	Natural	40 LB F / 178N	5" (140mm)	0.15" (3.81mm)	100	0.08" - 1.3" (2mm - 33mm)	Type 21	662381009081
GRP-540X	Natural	40 LB F / 178N	5" (140mm)	0.15" (3.81mm)	1000	0.08" - 1.3" (2mm - 33mm)	Type 21	662381009708
GRP-5400	Black	40 LB F / 178N	5" (140mm)	0.15" (3.81mm)	100	0.08" - 1.3" (2mm - 33mm)	Type 21	662381009234
GRP-5400X	Black	40 LB F / 178N	5" (140mm)	0.15" (3.81mm)	1000	0.08" - 1.3" (2mm - 33mm)	Type 21	662381009692
GRP-840	Natural	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.08" - 2.09" (2mm - 53mm)	Type 21	662381009128
GRP-840X	Natural	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	1000	0.08" - 2.09" (2mm - 53mm)	Type 21	662381009777
GRP-8400	Black	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.08" - 2.09" (2mm - 53mm)	Type 21	662381009289
GRP-8400X	Black	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	1000	0.08" - 2.09" (2mm - 53mm)	Type 21	662381009760
GRP-1140	Natural	40 LB F / 178N	11" (280mm)	0.15" (3.81mm)	100	0.08" - 2.99" (2mm - 76mm)	Type 21	662381009159
GRP-11400	Black	40 LB F / 178N	11" (280mm)	0.15" (3.81mm)	100	0.08" - 2.99" (2mm - 76mm)	Type 21	662381009326
INTERMEDIATE - COLOR CABLE TIES								
GRP-540BL	Blue	40 LB F / 178N	5" (140mm)	0.15" (3.81mm)	100	0.08" - 1.3" (2mm - 33mm)	Type 21 AH-2	662381997289
GRP-540GR	Green	40 LB F / 178N	5" (140mm)	0.15" (3.81mm)	100	0.08" - 1.3" (2mm - 33mm)	Type 21 AH-2	662381997272
GRP-540OR	Orange	40 LB F / 178N	5" (140mm)	0.15" (3.81mm)	100	0.08" - 1.3" (2mm - 33mm)	Type 21 AH-2	662381997258
GRP-540YL	Yellow	40 LB F / 178N	5" (140mm)	0.15" (3.81mm)	100	0.08" - 1.3" (2mm - 33mm)	Type 21 AH-2	662381997265
GRP-840BL	Blue	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.08" - 2.09" (2mm - 53mm)	Type 21 AH-2	662381997340
GRP-840BR	Brown	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.08" - 2.09" (2mm - 53mm)	Type 21 AH-2	662381997296
GRP-840GR	Green	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.08" - 2.09" (2mm - 53mm)	Type 21 AH-2	662381997333
GRP-840GY	Grey	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.08" - 2.09" (2mm - 53mm)	Type 21 AH-2	662381997364
GRP-840OR	Orange	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.08" - 2.09" (2mm - 53mm)	Type 21 AH-2	662381997319
GRP-840PR	Purple	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.08" - 2.09" (2mm - 53mm)	Type 21 AH-2	662381997357
GRP-840RD	Red	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.08" - 2.09" (2mm - 53mm)	Type 21 AH-2	662381997302
GRP-840YL	Yellow	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.08" - 2.09" (2mm - 53mm)	Type 21 AH-2	662381997326



PART NUMBER	COLOR	TENSILE STRENGTH	LENGTH	WIDTH	PACK SIZE	BUNDLE DIAMETER	CABLE TIE TYPE	UPC NUMBER
STANDARD								
GRP-450N	Natural	50 LB F / 222N	4" (100mm)	0.185" (4.7mm)	100	0.06" - 0.87" (1.5mm - 22mm)	Type 21 AH-2	662381997081
GRP-450B	Black	50 LB F / 222N	4" (100mm)	0.185" (4.7mm)	100	0.06" - 0.87" (1.5mm - 22mm)	Type 21 AH-2	662381997098
GRP-650	Natural	50 LB F / 222N	6" (160mm)	0.185" (4.7mm)	100	0.12" - 1.5" (3mm - 38mm)	Type 21S AH-2	662381009098
GRP-650X	Natural	50 LB F / 222N	6" (160mm)	0.185" (4.7mm)	1000	0.12" - 1.5" (3mm - 38mm)	Type 21S AH-2	662381009715
GRP-6500	Black	50 LB F / 222N	6" (160mm)	0.185" (4.7mm)	100	0.12" - 1.5" (3mm - 38mm)	Type 21S AH-2	662381009241
GRP-750	Natural	50 LB F / 222N	7.5" (190mm)	0.185" (4.7mm)	100	0.12" - 1.81" (3mm - 46mm)	Type 21S AH-2	662381009104
GRP-750X	Natural	50 LB F / 222N	7.5" (190mm)	0.185" (4.7mm)	1000	0.12" - 1.81" (3mm - 46mm)	Type 21S AH-2	662381009739
GRP-7500	Black	50 LB F / 222N	7.5" (190mm)	0.185" (4.7mm)	100	0.12" - 1.81" (3mm - 46mm)	Type 21S AH-2	662381009258
GRP-7500X	Black	50 LB F / 222N	7.5" (190mm)	0.185" (4.7mm)	1000	0.12" - 1.81" (3mm - 46mm)	Type 21S AH-2	662381009722
GRP-850	Natural	50 LB F / 222N	8" (200mm)	0.185" (4.7mm)	100	0.12" - 1.97" (3mm - 50mm)	Type 21S AH-2	662381009135
GRP-850X	Natural	50 LB F / 222N	8" (200mm)	0.185" (4.7mm)	1000	0.12" - 1.97" (3mm - 50mm)	Type 21S AH-2	662381009791
GRP-8500	Black	50 LB F / 222N	8" (200mm)	0.185" (4.7mm)	100	0.12" - 1.97" (3mm - 50mm)	Type 21S AH-2	662381009296
GRP-8500X	Black	50 LB F / 222N	8" (200mm)	0.185" (4.7mm)	1000	0.12" - 1.97" (3mm - 50mm)	Type 21S AH-2	662381009784
GRP-1150	Natural	50 LB F / 222N	11" (280mm)	0.185" (4.7mm)	100	0.12" - 2.76" (3mm - 70mm)	Type 21S AH-2	662381009166
GRP-1150X	Natural	50 LB F / 222N	11" (280mm)	0.185" (4.7mm)	1000	0.12" - 2.76" (3mm - 70mm)	Type 21S AH-2	662381009630
GRP-11500	Black	50 LB F / 222N	11" (280mm)	0.185" (4.7mm)	100	0.12" - 2.76" (3mm - 70mm)	Type 21S AH-2	662381009333
GRP-11500X	Black	50 LB F / 222N	11" (280mm)	0.185" (4.7mm)	1000	0.12" - 2.76" (3mm - 70mm)	Type 21S AH-2	662381009623
GRP-1450	Natural	50 LB F / 222N	14" (370mm)	0.185" (4.7mm)	100	0.12" - 4.02" (3mm - 102mm)	Type 21S AH-2	662381009180
GRP-1450X	Natural	50 LB F / 222N	14" (370mm)	0.185" (4.7mm)	1000	0.12" - 4.02" (3mm - 102mm)	Type 21S AH-2	662381009654
GRP-14500	Black	50 LB F / 222N	14" (370mm)	0.185" (4.7mm)	100	0.12" - 4.02" (3mm - 102mm)	Type 21S AH-2	662381009364
GRP-14500X	Black	50 LB F / 222N	14" (370mm)	0.185" (4.7mm)	1000	0.12" - 4.02" (3mm - 102mm)	Type 21S AH-2	662381009647
GRP-1850	Natural	50 LB F / 222N	18" (450mm)	0.185" (4.7mm)	100	0.12" - 4.57" (3mm - 116mm)	Type 21S AH-2	662381009203
GRP-18500	Black	50 LB F / 222N	18" (450mm)	0.185" (4.7mm)	100	0.12" - 4.57" (3mm - 116mm)	Type 21S AH-2	662381009418
STANDARD - COLOR CABLE TIES								
GRP-750FBL	Fluorescent Blue	40 LB F / 178N	7.5" (190mm)	0.185" (4.7mm)	100	0.12" - 1.81" (3mm - 46mm)	Type 21S AH-2	662381997487
GRP-750FGR	Fluorescent Green	40 LB F / 178N	7.5" (190mm)	0.185" (4.7mm)	100	0.12" - 1.81" (3mm - 46mm)	Type 21S AH-2	662381997470
GRP-750FOR	Fluorescent Orange	40 LB F / 178N	7.5" (190mm)	0.185" (4.7mm)	100	0.12" - 1.81" (3mm - 46mm)	Type 21S AH-2	662381997456
GRP-750FPK	Fluorescent Pink	40 LB F / 178N	7.5" (190mm)	0.185" (4.7mm)	100	0.12" - 1.81" (3mm - 46mm)	Type 21S AH-2	662381997494
GRP-750FYL	Fluorescent Yellow	40 LB F / 178N	7.5" (190mm)	0.185" (4.7mm)	100	0.12" - 1.81" (3mm - 46mm)	Type 21S AH-2	662381997463
GRP-750OR	Orange	40 LB F / 178N	7.5" (190mm)	0.185" (4.7mm)	100	0.12" - 1.81" (3mm - 46mm)	Type 21S AH-2	662381997395



PART NUMBER	COLOR	TENSILE STRENGTH	LENGTH	WIDTH	PACK SIZE	BUNDLE DIAMETER	CABLE TIE TYPE	UPC NUMBER
LIGHT HEAVY-DUTY								
GRP-875	Natural	75 LB F / 334N	8" (200mm)	0.185" (4.7mm)	100	0.12" - 1.97" (3mm - 50mm)	Type 21S AH-2	662381009142
GRP-8750	Black	75 LB F / 334N	8" (200mm)	0.185" (4.7mm)	100	0.12" - 1.97" (3mm - 50mm)	Type 21	662381009302
GRP-1175	Natural	75 LB F / 334N	11" (280mm)	0.185" (4.7mm)	100	0.12" - 2.76" (3mm - 70mm)	Type 21	662381009173
GRP-11750	Black	75 LB F / 334N	11" (280mm)	0.185" (4.7mm)	100	0.12" - 2.76" (3mm - 70mm)	Type 21	662381009340
GRP-1475	Natural	75 LB F / 334N	14" (370mm)	0.185" (4.7mm)	100	0.12" - 4.02" (3mm - 102mm)	Type 21	662381009197
GRP-14750	Black	75 LB F / 334N	14" (370mm)	0.185" (4.7mm)	100	0.12" - 4.02" (3mm - 102mm)	Type 21	662381009371
HEAVY-DUTY								
GRP-8120	Natural	120 LB F / 534N	8" (200mm)	0.30" (7.62mm)	100	0.28" - 1.97" (7mm - 50mm)	Type 21S AH-2	662381009265
GRP-81200	Black	120 LB F / 534N	8" (200mm)	0.30" (7.62mm)	100	0.28" - 1.97" (7mm - 50mm)	Type 21S AH-2	662381009487
GRP-11120	Natural	120 LB F / 534N	11" (280mm)	0.30" (7.62mm)	100	0.28" - 2.8" (7mm - 71mm)	Type 21S AH-2	662381009319
GRP-111200	Black	120 LB F / 534N	11" (280mm)	0.30" (7.62mm)	100	0.28" - 2.8" (7mm - 71mm)	Type 21S AH-2	662381009494
GRP-14120	Natural	120 LB F / 534N	14" (370mm)	0.30" (7.62mm)	100	0.28" - 4.02" (7mm - 102mm)	Type 21S AH-2	662381009357
GRP-141200	Black	120 LB F / 534N	14" (370mm)	0.30" (7.62mm)	100	0.28" - 4.02" (7mm - 102mm)	Type 21S AH-2	662381009500
GRP-18175	Natural	175 LB F / 778N	18" (450mm)	0.35" (8.89mm)	50	0.28" - 4.92" (7mm - 125mm)	Type 21	662381009395
GRP-181750	Black	175 LB F / 778N	18" (450mm)	0.35" (8.89mm)	50	0.28" - 4.92" (7mm - 125mm)	Type 21	662381009524
GRP-24175	Natural	175 LB F / 778N	24" (630mm)	0.35" (8.89mm)	50	0.28" - 7.36" (7mm - 187mm)	Type 21	662381009342
GRP-241750	Black	175 LB F / 778N	24" (630mm)	0.35" (8.89mm)	50	0.28" - 7.36" (7mm - 187mm)	Type 21	662381009555
GRP-30175	Natural	175 LB F / 778N	30" (780mm)	0.35" (8.89mm)	50	0.28" - 8.98" (7mm - 228mm)	Type 21	662381009456
GRP-301750	Black	175 LB F / 778N	30" (780mm)	0.35" (8.89mm)	50	0.28" - 8.98" (7mm - 228mm)	Type 21	662381009579
GRP-36175	Natural	175 LB F / 778N	36" (920mm)	0.35" (8.89mm)	50	0.28" - 10.35" (7mm - 263mm)	Type 21	662381009463
GRP-361750	Black	175 LB F / 778N	36" (920mm)	0.35" (8.89mm)	50	0.28" - 10.35" (7mm - 263mm)	Type 21	662381009593
GRP-48175	Natural	175 LB F / 778N	48" (1220mm)	0.35" (8.89mm)	50	0.28" - 14.37" (7mm - 365mm)	Type 21	662381009470
GRP-481750	Black	175 LB F / 778N	48" (1220mm)	0.35" (8.89mm)	50	0.28" - 14.37" (7mm - 365mm)	Type 21	662381009609
GRP-601750	Black	175 LB F / 778N	60" (1530mm)	0.35" (8.89mm)	50	7.48" - 18.11" (190mm - 460mm)	Type 21	662381009616
GRP-15250	Natural	250 LB F / 1112N	15" (380mm)	0.5" (12.7mm)	50	0.31" - 4.17" (8mm - 106mm)	Type 11	662381009388
GRP-152500	Black	250 LB F / 1112N	15" (380mm)	0.5" (12.7mm)	50	0.31" - 4.17" (8mm - 106mm)	Type 11	662381009517
GRP-18250	Natural	250 LB F / 1112N	18" (450mm)	0.5" (12.7mm)	50	0.31" - 4.72" (8mm - 120mm)	Type 11	662381009401
GRP-182500	Black	250 LB F / 1112N	18" (450mm)	0.5" (12.7mm)	50	0.31" - 4.72" (8mm - 120mm)	Type 11	662381009531
GRP-22250	Natural	250 LB F / 1112N	22" (560mm)	0.5" (12.7mm)	50	0.31" - 5.98" (8mm - 152mm)	Type 11	662381009425
GRP-222500	Black	250 LB F / 1112N	22" (560mm)	0.5" (12.7mm)	50	0.31" - 5.98" (8mm - 152mm)	Type 11	662381009531
GRP-28250	Natural	250 LB F / 1112N	28" (730mm)	0.5" (12.7mm)	50	0.31" - 8.03" (8mm - 204mm)	Type 11	662381009449
GRP-282500	Black	250 LB F / 1112N	28" (730mm)	0.5" (12.7mm)	50	0.31" - 8.03" (8mm - 204mm)	Type 11	662381009562
GRP-342500	Black	250 LB F / 1112N	34" (860mm)	0.5" (12.7mm)	50	0.31" - 9.76" (8mm - 248mm)	Type 11	662381009586
MULTI-PACK								
GRP-CNBN100	Natural & Black	Multi-size (100PK) 15 each Natural 4" 18lb; 5" 40lb; 8" 50lb; 11" 50lb 10 each Black 4" 18lb; 5" 40lb; 8" 50lb; 11" 50lb		-	1	-	Type 21 AH-2	662381997104
GRP-CNMC100	Multiple	Multi-color (100PK) 10 each - 7.5" 50lb Brown, Red, Orange, Yellow, Green, Blue, Purple, Grey, Black & Natural		0.2" (5.08mm)	1	-	Type 21 AH-2	662381997524





UV Stabilized Cable Ties

Nylon 12 ties designed for outdoor use hold up under extreme heat conditions.

UV-Stabilized Cable Ties offer UV resistance for enhanced durability and longevity in outdoor and long-term applications involving exposure to sunlight and environmental elements.

- ▶ Withstands prolonged exposure to sunlight without becoming brittle
- ▶ Resistant to moisture, chemicals, and temperature fluctuations
- ▶ Maintains strength and performance over a longer service life
- ▶ Securely holds and organizes cables in outdoor settings



Steel Barb Cable Ties

Strong steel pawl locking mechanism with unlimited locking positions and a tight hold.

Steel Barb cable ties are a heavy-duty fastening solution for use in versatile applications across various industries, ensuring cables and bundles are well-organized, secure, and protected.

- ▶ Robust steel pawl locking mechanism for enhanced strength and security
- ▶ Unlimited locking positions for a precise and tight hold on any bundle size
- ▶ Excellent tensile strength ensures reliable fastening in heavy-duty applications



Impact Resistant Cable Ties

Cable ties with a specialized head design for vibration stability and impact resistance.

Impact Resistant Cable Ties with a specialized head design offer reliable cable security and a longer service life in industries where vibrations and impacts are prevalent.

- ▶ Specially designed to withstand vibrations and impacts
- ▶ Ribbed and reinforced for added strength and stability



Push Mount Cable Ties

Push Mount cable ties snap through holes to mount fast.

The hooked end of these push mount ties clips into place instantly, affixing a cable bundle to an appropriate surface in a snap.

- ▶ Installs fast and secure in any orientation



Screw Mount Cable Ties

Cable ties with screw holes for fast and easy mounting.

Screw Mount Cable Ties are quick and easy to install, offering a secure attachment point for improved cable management in many applications. They reduce strain on cables and are reusable.

- ▶ Screw holes for faster installation and easy re-use
- ▶ Sturdy attachment for secure and long-lasting fastening
- ▶ Versatile for use on various surfaces and materials
- ▶ Reduces strain and improves cable management



Flag ID Marker Cable Ties

Cable ties with space to write in names or other identifiers.

Flag Identification Ties (Flag ID) are ideal for network installations and large-scale projects. They offer a convenient solution to identify and organize cables, smoothing operations and maintenance.

- ▶ Efficient cable management with quick and easy cable identification
- ▶ Reduces errors and tracing during installations, repairs, or maintenance
- ▶ Enhance organization and cleaner appearance in large-scale projects



Hook & Loop Cable Ties

Adjustable ties allow for permanent or temporary bundling of cables.

Hook & Loop Cable Ties provide versatile cable management, reusability, damage prevention, easy installation or removal and an organized appearance.

- ▶ Design features tiny hooks on one side and soft loops on the other
- ▶ Adjustable and reusable for temporary or permanent bundling
- ▶ Hassle-free to install by hand and can be cut to any length
- ▶ Soft and flexible, preventing cable damage



PART NUMBER	COLOR	TENSILE STRENGTH	LENGTH	WIDTH	PACK SIZE	BUNDLE DIAMETER	CABLE TIE TYPE	UPC NUMBER
UV-STABILIZED								
GRP-UV540B	Black	40 LB F / 178N	5" (140mm)	0.15" (3.81mm)	100	0.12" - 1.22" (3mm - 31mm)	Type 21S AH-2	662381998125
GRP-UV750B	Black	50 LB F / 222N	7" (177mm)	0.2" (5.08mm)	100	0.16" - 1.77" (4mm - 45mm)	Type 21S AH-2	662381998132
GRP-UV1150B	Black	50 LB F / 222N	11" (280mm)	0.2" (5.08mm)	100	0.28" - 2.76" (7mm - 70mm)	Type 21S AH-2	662381998149
GRP-UV1450B	Black	50 LB F / 222N	14" (370mm)	0.2" (5.08mm)	100	0.28" - 3.78" (7mm - 96mm)	Type 21S AH-2	662381998156
GRP-UV14120B	Black	120 LB F / 534N	14" (370mm)	0.3" (7.62mm)	100	0.31" - 3.54" (8mm - 90mm)	Type 21S AH-2	662381998170
STEEL BARB								
GRP-SB418B	Black	18 LB F / 80N	4" (100mm)	0.1" (2.54mm)	100	0.12" - 0.81" (3mm - 20.5mm)	Type 21	662381997647
GRP-SB418N	Natural	18 LB F / 80N	4" (100mm)	0.1" (2.54mm)	100	0.12" - 0.81" (3mm - 20.5mm)	Type 21	662381997654
GRP-SB418NX	Natural	18 LB F / 80N	4" (100mm)	0.1" (2.54mm)	1000	0.12" - 0.81" (3mm - 20.5mm)	Type 21	662381997661
GRP-SB818B	Black	18 LB F / 80N	8" (200mm)	0.1" (2.54mm)	100	0.12" - 2.07" (3mm - 52.5mm)	Type 21	662381997678
GRP-SB818N	Natural	18 LB F / 80N	8" (200mm)	0.1" (2.54mm)	100	0.12" - 2.07" (3mm - 52.5mm)	Type 21	662381997685
GRP-SB540B	Black	40 LB F / 178N	5" (140mm)	0.15" (3.81mm)	100	0.14" - 1.3" (3.5mm - 33mm)	Type 21	662381997692
GRP-SB540N	Natural	40 LB F / 178N	5" (140mm)	0.15" (3.81mm)	100	0.14" - 1.3" (3.5mm - 33mm)	Type 21	662381997708
GRP-SB840B	Black	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.14" - 2.07" (3.5mm - 52.5mm)	Type 21	662381997715
GRP-SB840N	Natural	40 LB F / 178N	8" (200mm)	0.15" (3.81mm)	100	0.14" - 2.07" (3.5mm - 52.5mm)	Type 21	662381997722
GRP-SB1140B	Black	40 LB F / 178N	11" (280mm)	0.15" (3.81mm)	100	0.14" - 3.31" (3.5mm - 84mm)	Type 21	662381997739
GRP-SB1140N	Natural	40 LB F / 178N	11" (280mm)	0.15" (3.81mm)	100	0.14" - 3.31" (3.5mm - 84mm)	Type 21	662381997746
GRP-SB750B	Black	50 LB F / 222N	7.5" (190mm)	0.185" (4.7mm)	100	0.14" - 1.95" (3.5mm - 49.5mm)	Type 21S	662381997753
GRP-SB750N	Natural	50 LB F / 222N	7.5" (190mm)	0.185" (4.7mm)	100	0.14" - 1.95" (3.5mm - 49.5mm)	Type 21S	662381997760
GRP-SB750NX	Natural	50 LB F / 222N	7.5" (190mm)	0.185" (4.7mm)	1000	0.14" - 1.95" (3.5mm - 49.5mm)	Type 21S	662381997777
GRP-SB1150B	Black	50 LB F / 222N	11" (280mm)	0.185" (4.7mm)	100	0.14" - 3.19" (3.5mm - 81mm)	Type 21S	662381997784
GRP-SB1150N	Natural	50 LB F / 222N	11" (280mm)	0.185" (4.7mm)	100	0.14" - 3.19" (3.5mm - 81mm)	Type 21S	662381997791
GRP-SB1150NX	Natural	50 LB F / 222N	11" (280mm)	0.185" (4.7mm)	1000	0.14" - 3.19" (3.5mm - 81mm)	Type 21S	662381997807
GRP-SB1450B	Black	50 LB F / 222N	14" (370mm)	0.185" (4.7mm)	100	0.14" - 4.07" (3.5mm - 103.5mm)	Type 21S	662381997814
GRP-SB1450N	Natural	50 LB F / 222N	14" (370mm)	0.185" (4.7mm)	100	0.14" - 4.07" (3.5mm - 103.5mm)	Type 21S	662381997821
GRP-SB1450NX	Natural	50 LB F / 222N	14" (370mm)	0.185" (4.7mm)	1000	0.14" - 4.07" (3.5mm - 103.5mm)	Type 21S	662381997838
GRP-SB85120N	Natural	120 LB F / 534N	8.5" (215mm)	0.28" (7.11mm)	50	0.33" - 2.25" (8.5mm - 57.2mm)	-	662381997845
GRP-SB12120N	Natural	120 LB F / 534N	12" (305mm)	0.28" (7.11mm)	50	0.33" - 3.26" (8.5mm - 82.8mm)	-	662381997852
GRP-SB14120B	Black	120 LB F / 534N	14" (370mm)	0.28" (7.11mm)	50	0.33" - 4.07" (8.5mm - 103.5mm)	-	662381997869
GRP-SB14120N	Natural	120 LB F / 534N	14" (370mm)	0.28" (7.11mm)	50	0.33" - 4.07" (8.5mm - 103.5mm)	-	662381997876
GRP-SB18120B	Black	120 LB F / 534N	18" (450mm)	0.28" (7.11mm)	50	0.33" - 5.14" (8.5mm - 130.5mm)	-	662381997883
GRP-SB24120N	Natural	120 LB F / 534N	24" (630mm)	0.28" (7.11mm)	50	0.33" - 7.15" (8.5mm - 181.5mm)	-	662381997890
GRP-SB30120B	Black	120 LB F / 534N	30" (780mm)	0.28" (7.11mm)	50	0.33" - 8.9" (8.5mm - 226mm)	-	662381997913
GRP-SB30120N	Natural	120 LB F / 534N	30" (780mm)	0.28" (7.11mm)	50	0.33" - 8.9" (8.5mm - 226mm)	-	662381997906



PART NUMBER	COLOR	TENSILE STRENGTH	LENGTH	WIDTH	PACK SIZE	BUNDLE DIAMETER	CABLE TIE TYPE	UPC NUMBER
IMPACT RESISTANT								

GRP-IR1150B	Black	50 LN F / 222N	11" (280mm)	0.185" (4.7mm)	100	0.12" - 3.19" (3mm - 81mm)	Type 21	662381997623
-------------	-------	----------------	-------------	----------------	-----	-------------------------------	---------	--------------



SCREW MOUNT								
-------------	--	--	--	--	--	--	--	--

GRP-M630B	Black	30 LN F / 133N	6" (160mm)	0.15" (3.81mm)	100	0.16" - 1.42" (4mm - 36mm)	Type 21S AH-2	662381997128
-----------	-------	----------------	------------	----------------	-----	-------------------------------	---------------	--------------

GRP-M630N	Natural	30 LN F / 133N	6" (160mm)	0.15" (3.81mm)	100	0.16" - 1.42" (4mm - 36mm)	Type 21S AH-2	662381997135
-----------	---------	----------------	------------	----------------	-----	-------------------------------	---------------	--------------

GRP-M750B	Black	50 LN F / 222N	7.5" (190mm)	0.185" (4.7mm)	100	0.12" - 1.96" (3mm - 49.8mm)	Type 21S AH-2	662381997142
-----------	-------	----------------	--------------	----------------	-----	---------------------------------	---------------	--------------

GRP-M750N	Natural	50 LN F / 222N	7.5" (190mm)	0.185" (4.7mm)	100	0.12" - 1.96" (3mm - 49.8mm)	Type 21S AH-2	662381998095
-----------	---------	----------------	--------------	----------------	-----	---------------------------------	---------------	--------------

GRP-M750BX	Black	50 LN F / 222N	7.5" (190mm)	0.185" (4.7mm)	1000	0.12" - 1.96" (3mm - 49.8mm)	Type 21S AH-2	662381997159
------------	-------	----------------	--------------	----------------	------	---------------------------------	---------------	--------------

GRP-M750NX	Natural	50 LN F / 222N	7.5" (190mm)	0.185" (4.7mm)	1000	0.12" - 1.96" (3mm - 49.8mm)	Type 21S AH-2	662381998101
------------	---------	----------------	--------------	----------------	------	---------------------------------	---------------	--------------

GRP-M1150B	Black	50 LN F / 222N	11" (280mm)	0.185" (4.7mm)	100	0.12" - 3.54" (3mm - 89.8mm)	Type 21S AH-2	662381997180
------------	-------	----------------	-------------	----------------	-----	---------------------------------	---------------	--------------

GRP-M1150N	Natural	50 LN F / 222N	11" (280mm)	0.185" (4.7mm)	100	0.12" - 3.54" (3mm - 89.8mm)	Type 21S AH-2	662381997197
------------	---------	----------------	-------------	----------------	-----	---------------------------------	---------------	--------------



FLAG ID								
---------	--	--	--	--	--	--	--	--

GRP-DF418N	Natural	18 LN F / 80N	4" (100mm)		100	0.12" - 0.89" (3mm - 22.6mm)	Type 21	662381997210
------------	---------	---------------	------------	--	-----	---------------------------------	---------	--------------

GRP-DH418N	Natural	18 LN F / 80N	4" (100mm)		100	0.22" - 0.87" (5.5mm - 22mm)	Type 21	662381997227
------------	---------	---------------	------------	--	-----	---------------------------------	---------	--------------



HOOK AND LOOP								
---------------	--	--	--	--	--	--	--	--

GRP-VR155B	Black	-	15ft Length		1	0.5" Width	-	662381998361
------------	-------	---	-------------	--	---	------------	---	--------------

GRP-VR1575B	Black	-	15ft Length		1	0.75" Width	-	662381998385
-------------	-------	---	-------------	--	---	-------------	---	--------------

GRP-VR755B	Black	-	75ft Length		1	0.5" Width	-	662381998378
------------	-------	---	-------------	--	---	------------	---	--------------

GRP-VR7575B	Black	-	75ft Length		1	0.75" Width	-	662381998392
-------------	-------	---	-------------	--	---	-------------	---	--------------

GRP-VR751B	Black	-	75ft Length		1	1" Width	-	662381998408
------------	-------	---	-------------	--	---	----------	---	--------------



PUSH MOUNT								
------------	--	--	--	--	--	--	--	--

GRP-P750N	Natural	50 LN F / 222N	7.5" (190mm)		100	0.12" - 1.77" (3mm - 45mm)	Type 21 AH-2	662381997203
-----------	---------	----------------	--------------	--	-----	-------------------------------	--------------	--------------



4-Way Mounts Cable Tie Mounts

4-Way adhesive mounts can be affixed to any surface to attach cable ties and more.

Adhesive cable ties mounts made from nylon 6.6 polyamide are easy to install and simplify the process of mounting wires or cable ties in many applications.

- ▶ Available in three different sizes and black or natural nylon
- ▶ Resistant to moisture, chemicals, and temperature fluctuations
- ▶ Can be mounted with adhesive, screws or both
- ▶ Securely holds and organizes cables in outdoor settings



Saddle Mounts Cable Tie Mounts

Saddle mounts are an easy-to-install solution for mounting cable ties.

Affix cable ties directly to surfaces using these saddle mounts. Simply screw the mount into place then thread the cable tie through and form a bundle as normal.

- ▶ Available in two different sizes and black or natural nylon
- ▶ Resistant to moisture, chemicals, and temperature fluctuations
- ▶ Installs fast and secure in any orientation



Clip Mounts Cable Tie Mounts

Clip mounts allow the installer to hammer an attachment point into place.

Available in single- and double-nail styles, these clip mounts are useful for strapping down cables or providing an anchor point for cable ties and bundles.

- ▶ Available in white or grey and with single or double nail holes
- ▶ Resistant to moisture, chemicals, and temperature fluctuations
- ▶ Installs fast and secure in any orientation



Masonry Push Mount Cable Tie Mounts

A push-in way to mount cable ties to wood, plasterboard, brick or stone.

These push-in mounts provide a secure way to mount cable ties to masonry that installs fast. Simply drill a hole, then push the mount into place.

- ▶ Faster installation than other styles of mount
- ▶ Resistant to moisture, chemicals, and temperature fluctuations
- ▶ Installs fast and secure in any orientation



Cable Clamps Cable Mounts

Cable clamps screw into place, creating a secure anchor point.

A familiar and reliable way to mount individual cables or a cable tie to be used for bundling, these clamps screw into place and hold tight.

- ▶ Available in black or natural nylon color in a range of sizes
- ▶ Resistant to moisture, chemicals, and temperature fluctuations
- ▶ Installs fast and secure in any orientation





PART NUMBER	COLOR	SIZE	PACK SIZE	UPC NUMBER
4-WAY MOUNTS				
GRP-4M75B	Black	0.75" x 0.75"	100	662381998439
GRP-4M75N	Natural	0.75" x 0.75"	100	662381998446
GRP-4M1B	Black	1" x 1"	100	662381998453
GRP-4M1N	Natural	1" x 1"	100	662381998460
GRP-4M15B	Black	1.5" x 1.5"	100	662381998484
GRP-4M15N	Natural	1.5" x 1.5"	100	662381998491



PART NUMBER	COLOR	SLOT WIDTH	PACK SIZE	UPC NUMBER
SADDLE MOUNTS				
GRP-SM6B	Black	0.28"	100	662381998538
GRP-SM6N	Natural	0.28"	100	662381998545
GRP-SM9B	Black	0.35"	100	662381998552
GRP-SM9N	Natural	0.35"	100	662381998569



PART NUMBER	COLOR	OPENING	PACK SIZE	UPC NUMBER
CLIP MOUNTS				
GRP-CM492WT	White	0.48" x 0.20"	100	662381998606
GRP-CM736WT	White	0.736" x 0.315"	100	662381998590
GRP-CM335WT	White	0.30" x 0.17"	100	662381998576
GRP-CM391GY	Grey	0.374" x 0.34"	100	662381998583



PART NUMBER	COLOR	SLOT WIDTH	PACK SIZE	UPC NUMBER
MASONRY PUSH MOUNT				
GRP-MPM1B	Black	0.39"	100	662381998835



PART NUMBER	COLOR	OPENING	PACK SIZE	UPC NUMBER
CABLE CLAMPS				
GRP-C125B	Black	0.125" Dia	100	662381998637
GRP-C125N	Natural	0.125" Dia	100	662381998644
GRP-C250B	Black	0.250" Dia	100	662381998675
GRP-C250N	Natural	0.250" Dia	100	662381998682
GRP-CH250B	Black	0.250" Dia	100	662381998743
GRP-CH250N	Natural	0.250" Dia	100	662381998750
GRP-CH5B	Black	0.5" Dia	100	662381998781
GRP-CH5N	Natural	0.5" Dia	100	662381998798


EASY-STACK[®]

CABLE STACKER

Additional Cable Management
Product Available

INCREASE YOUR PRODUCTIVITY

Versatile and easy to use, Easy-Stack Cable Stacker is the perfect solution for a variety of applications. Install with a nail, staple or screw into wood or metal studs.




WOOD



METAL

- A** Cables are self-securing – no snap to close.
- B** Strong enough to be installed and re-installed as needed.
- C** Can be installed with a nail, staple or screw (included) for application into wood or metal studs.

PART #	PRODUCT TYPE	PACK QTY	UPC
ES-YL-100	Pouch	100	662381014078
ES-YL-25	Pouch	25	662381014061





**SCAN FOR
MORE INFORMATION**

